Production of Gasifier Stove for use in Nigeria An Alternative Energy Awareness

Ifunanya M. Mobi, Ijeoma Ezeonuegbu, Ifeanyichukwu U. Onyenanu

Abstract

This write up presents the report of the research on alternative technology for cooking vis-à-vis energy. Equally the fabrication of one of the adopted ones around the world is reported. Biomass constitutes the biggest source of energy in rural Nigeria. However, its utilization in the domestic sector is mostly inefficient and polluting, resulting in resource wastage. Traditional cook stoves, predominantly used in the households for domestic cooking, have been a major contributor to these ill effects. Improved cook stove programmes implemented in the developing countries of the world, like China, India, Kenya, etc. attempt to address these problems. Biomass gasification appears to have a significant potential in Nigeria for domestic cooking applications. A number of gasification-based cooking systems, which are more efficient than traditional stoves and are almost smoke-free, have been developed and demonstrated recently to highlight the potential benefits of introducing them in developing countries like Nigeria.

Index Terms-Gasifier Stove, Biomass, Energy, Smoke free.

I. INTRODUCTION

Domestic cooking accounts for the major share of the total biomass use for energy in Nigeria. However, use of biomass fuels in traditional stoves is characterized by low efficiency and emission of pollutants. In an effort to address these problems, many of the Asian countries have initiated national programmes to promote improved cook stoves. Although significant achievements have been reported in some of these countries, the potential for further efficiency improvements is still very large. A study by Bhattacharya et al (1999) estimated that the biomass saving potential in seven Asian countries (China, India, Pakistan, Nepal, Philippines, Sri Lanka and Vietnam) as 152 million tons of fuel wood and 101 million tons of agricultural residues, in the domestic cooking sector alone in early nineties. The amount of biomass that can be saved through efficiency improvement can serve as a source of additional energy and can potentially substitute for fossil fuels to reduce net GHG emission. The residue left over after the cooking could be biochar.

Biochar is a fine-grained, highly porous charcoal that helps soils retain nutrients and water. Biochar is found in soils around the world as a result of vegetation fires and historic

Ijeoma H. Ezeonuegbu, Department of Mechanical Engineering, Nnamdi Azikiwe University, Awka – Nigeria. Phone/ Mobile No.+234-8065777899. Ifeanyichukwu U. Onyenanu, Department of Mechanical Engineering,

Anambra State University, Nigeria. Phone/ Mobile No. +234-8067673228.

soil management practices. Intensive study of biochar-rich dark earths in the Amazon (terra preta), has led to a wider appreciation of biochar's unique properties as a soil conditioner (*International Biochar Initiative 2008*). Fig 1 shows a sample biochar



Figure 1: Sample Biochar Source: <u>www.biochar.info.com</u>

II. JUSTIFICATION

The costs of fossil fuels and gas as a preferred cooking fuel, is on the increase. The use of biofuel gasification technology will cut down the demand on fossil fuels for cooking. Biomass **gasifiers** are attracting renewed interest. The possibilities for biomass gasification technology for cooking applications are leading to a number of initiatives to demonstrate the potential benefits of introducing them in developing countries, like **Nigeria**.

III. OBJECTIVE

To produce a gasifier stove that runs on solid fuel without release of Green House Gases (GHG) into the atmosphere.

IV. LITERATURE

Gasifier stoves, which are basically compact gasifier-gas burner devices, have been tried since mid-nineties for cooking applications. Several hundred biomass gasifier cook stoves are already in operation in countries such as China and India. In many countries, policy measures (such as governmental support in the form of subsidies on investments) are in place to stimulate biomass gasification (IEA, 2003).

Apart from being fuel efficient, gasifier stoves are also emission efficient in comparison to traditional cook stoves. The traditional cook stoves, because of their very low efficiency, emit more than 10% of their carbon as products of incomplete combustion (PIC) comprising varying amount of tars. In addition, about 100-180 g of carbon monoxide and 7.7 g of particulate matter are also emitted per kg of wood. Gases such as methane, total

Manuscript received Oct. 20, 2013.

Ifunanya M. Mobi, Dept. of Mechanical Engineering, Nnamdi Azikiwe University, Awka – Nigeria. Phone/ Mobile No. +234-8061129491.

Production of a Gasifier Stove for use in Nigeria

non-methane organic compounds (TNMOC) and N_2O are added to this. These PIC emissions are even higher in the case of loose biomass or cow dung used as fuel in these stoves (Grover. P.D., 2003).

Some of the natural draft stoves (based on combustion of gas produced from biomass) developed so far are listed in Table 1. The capacity of these stoves ranges from 3kW th to 20kW th, making them suitable for domestic as well as community cooking applications. Compared to the 5-15% efficiency of traditional cook stoves in the Asian region [1], the efficiency of these gasifier stoves is in the range of 25-35%. The design of the inverted downdraft type stoves are illustrated in Figures 1-5.

Table 1: Natural draft gasifier stoves developed	worldwide
for cooking applications	

S/N	Name of	Product and developed by
	Stove	
1.	Wood-Gas Cook Stove	Coardy Pro Coardina Deservise Coardina Deservise Coardina Deservise De
		Thomas Reed and Ron Larson
2.	Charcoal Making Wood Gas Cooking Stove	gas color outer alls contraction gas color outer alls contraction gas color outer alls contraction gas color contraction contraction gas color contraction contr
		20AN CHURCOAL MAKING WOODCASS 5 TOVE slove body 75 cm high by 36 cm wide
		Elsen Karstad
3.	Natural draft cross flow stove models IGS2, DGS2 and CGS3	
		Asian Institute of Technology, Thailand
4.	Briquette gasifying stove	
		Richard Stanley (Legacy Foundation,
		USA) and Kobus Venter (Venter Forestry
		Services, South Africa)



V. THEORETICAL ANALYSIS

• Design Brief

The gasifier is a stove with two compartments intended to use any solid fuel. It has three major parts:

- 4 The Top Lid
- \rm The Inner Tin
- \rm The Outer Tin

This fabrication is based on specifications given in "Everything Nice Stove Instruction" sourced from www.biocharinfo.com

• Preliminary Specification

The stove will satisfy the following conditions:

- \downarrow Its capacity will be 355,314.13 mm³
- ↓ It will not release Green House Gases (GHG)
- ↓ It will give blue flame
- It will not get cooking utensils dirty

• Material Selection

The material used is mild steel. It has stability to heat below its lower critical temperature (0 C). It is easily worked and it is of good weld ability. It is readily available will be convenient for the finance available for the fabrication.

• Parts Description

Top Lid

Its cross section is of two concentric circles. It has a hole central to the body where the flame produced appears.

Inner Tin

It is cylinder with holes of 4mm made round its base.

Outer Tin

It is a cylinder with larger holes near its base.

• Specification

S/N Parts Dimension (mm)

Top Lid 303
Inner Tin 290 x 390
Outer Tin 300 x 400

VI. METHODOLOGY

• The Marking out process

The first stage of this fabrication is the marking out of the required dimensions of the 2.5mm thickness of the sheet metal and the angle iron.

• The Cutting Process

The second stage after the required dimensions were marked out was the cutting out of the length required from the material. This was done with the aid of hack saw and cutting machine.

• The Grinding Process

After the cutting out process, I dulled the sharp edges of the plate that was cut.

• The Drilling process

The next process was drilling the holes that allow the inflow and out flow of air (vent) the way they are being marked out.

• The Folding process

To fold the plate, I have to make a circular model using wood. This helped me in folding the two plates.

• The Welding process

Electric arc welding is used to ensure stability of joint, and hence durability. This joining method will also ensure stability against thermal stress and strain.

VII. DIAGRAMATIC REPRESENTATION OF THE GASIFIER

STOVE



Fig 2: The Isometric View of the Gasifier Stove



Fig 3: The Top View of the Gasifier Stove



Fig 4: The Inside View of the Gasifier Stove



Fig 5: The Side View of the Gasifier Stove

VIII. TESTING AND RESULT

The fabricated gasifier stove was tested to evaluate its performance.

First and foremost, 10kg bag of cow dung (burning fuel) was collected and dried under the sun. After which we made sure that it was mashed into fine grains before it was packed into the stove. During packing of the cow dung into the stove, we created an opening were the flame will be coming out from. Now the machine is now set for the test.

Afterwards, we lighted the cow dung which was our preferred fuel and it started burning smoothly. As the heat increased, the most interesting part of the testing was the stove produced just the blue flame showing that the amount of inflow of air (oxygen) is equal to that of the outflow.

A ten liter water filled pot boiled within the space of 10 minutes. This is to say that the performance of the stove was on the higher side.

IX. CONCLUSION

Biomass is a major source of energy for cooking applications in Asia. Large quantities of surplus biomass residues are available in the Asian region, but are mostly under-utilized. Recent developments in gasifier technology for cooking applications offer an ideal opportunity by utilizing this surplus biomass cleanly and efficiently. Several biomass gasifier-based cook stoves have been developed since 1995, both for household cooking and community cooking. Centrally installed gasifiers supplying cooking gas for whole villages or communities have also been successfully demonstrated. For wider adoption, the technology requires further refinement since there are some technical as well as social aspects which are still to be addressed. Cost is another barrier, which can be tackled to some extent by the economy of scale. Standards are needed for acceptance tests, guarantee and certification. Involvement of private entrepreneurs in commercializing gasification based cooking systems would be vital for promotion of biomass gasification-based large-scale cooking systems. It is expected that the convenience, efficiency and safety advantages offered by gasifier stoves over other improved cook stoves will help their rapid adoption in rural households across the country in the near future.

REFERENCES

- Bhattacharya S.C., Attalage R.A., Augustus Leon, M. Thanawat. C. 1999. Potential of SSIC, 2005. SAN SAN INDUSTRIAL Cooperative Ltd., Myanmar. Accessed 20 Feb, 2005.
- [2] Reed. T.B. Anselmo. E. and Kircher. K. 2000. Testing and Modeling the Wood-Gas Turbo
- [3] Punchibanda, D.M., 2000. Forced Draft Wood gas Stove. National Engineering Research and Anderson, Paul S., 2002. The Origins of the Juntos Gasifier Stoves. Dept. of Geography-Sierra Stove, 2005. ZZ Manufacturing Inc. http://www.zzstove.com/.
- [4] Mande, Sanjay and Kishore, VVN, 2000. Wood Gasifier System for Large-scale Cooking.
- [5] TERI, 2005. Gasifier for large-scale cooking applications.
- [6] Yong-zhi, Ren, 2005. Biomass Gasification for Gas Supplying System. Liaoning Institute of Young, Bing Lin., and Brown, Robert, 2001.
- [7] Application of Biomass Thermal Gasification IEA, 2003. IEA Bioenergy Agreement. Task 33: Thermal Gasification of Biomass; Technology
- [8] Zhen Hong Y., Wu, C.Z., Huang, H., Lin, G.F., 2001. Research and Development on Biomass
- [9] Grover. P.D., 2003. Cost Estimates for a 'Dream Stove' for Asia.
- [10] Reed. T.B., and Larson, Ronal, 1996. A Wood-Gas Stove for Developing Countries. The Karstad Elsen, 1997. Elsen Karstad's Charcoal Making Wood Gas Cooking Stove (Sept 97).
- [11] Bhattacharya. S.C., and Augustus Leon, M., 2001. 'A Biomass-fired Gasifier Stove (IGS-2)
- [12] Stanley, Richard, and Venter, Kobus, 2003. Holey Briquette Gasifier Stove Development. Aug.
- [13] IPOBIS., 2004. Portable Wood/Biomass Stoves. Combustion, Gasification and Propulsion
- [14] Appropriate Rural Technology Institute (ARTI), Pune, India. November 20-24, 2000.
- [15] Biomass Energy Foundation, Golden, CO., USA. Conference on "Developments in Biomass Fuel Conservation in Selected Asian Countries. Energy Conversion and Management, Biomass-based Fuels and Cooking Systems (BFCS-2000), 20-23 Nov 2000. Pune, India.
- [16] Brief: Fixed Bed Gasification Development (NERD) Centre, Sri Lanka. Paper presented at the International Conference on Energy Resources, China.http://www.lnsnys.com/XNY1/Prof.%20Ren%20Yongzhi%20 1.ppt Energy in China. Int. J. Energy Technology and Policy. Vol. 1, Nos. 1, 2; 2002.
- [17] Foundation, 1810 Smith Rd., Golden, CO 80401; Community Power Corporation, Aurora, CO.
- [18] Geology, Illinois State Univ., Normal, IL 61790-4400. Sep 2002.
- [19] Reed T. B a., and Walt R b., 1998. The "Turbo" Wood-Gas Stove.
- [20] http://www.ikweb.com/enuff/public_html/Dream/paper-grover.htm.
- [21] http://www.ikweb.com/enuff/public_html/ELK.htm.
- [22] http://www.ikweb.com/enuff/public_html/Turbo/Turbo.htm.
- [23]http://www.teriin.org/division/eetdiv/docs/products/cooking.htm (accessed on 20 Feb 2005).
- [24] Institutional Cooking', GLOW, A monthly journal published by the Asia Regional Cookstove International Conference on Biomass-based Fuels and Cooking Systems (BFCS-2000),
- [25] Laboratory, Indian Institute of Science, Bangalore.
- [26] http://cgpl.iisc.ernet.in/stv_final.pdf
- [27] Meeting the Challenges. of a Natural Draft Gasifier Stove for Institutional and Industrial Applications. International Program (ARECOP), Yogyakarta, Indonesia, May 2001. Province.

ECO-INFORMA: Environmental Risks & the Global Community: Strategies for Seminar on Appropriate Technology for Fuel Production from Biomass, 1-3 Oct 2003,

- [28] Stove. Presented at the Progress in Thermochemical Biomass Conversion Conference, Sept. 17-
- [29] Technology in Henan, China —Collaboration between Iowa State University and Henan
- [30] Thermochemical Biomass Conversion", Banff, Canada, 20-24 May 1996. Volume 40, Issue 11, July 1999, Pages 1141-1162. Yogyakarta, Indonesia.



Ifunanya Mariagoretti Mobi holds HND in Mechanical Engineering from Federal Polytechnic, NEKEDE – Nigeria. She is currently on her Postgraduates in Department of Mechanical Engineering, Nnamdi Azikiwe University – Nigeria. She specializes in Engineering Design. She is a member of the Institution of Mechanical Engineers, London (IMechE).



Ijeoma Happiness Ezeonuegbu (BEng. Mechanical Engineering) is a Lecturer in the Department of Mechanical Engineering, Nnamdi Azikiwe University – Nigeria. Her Area of specialization is Thermal Engineering. She is a member of the Institution of Mechanical Engineers, London (IMechE).



Ifeanyichukwu Ugochukwu Onyenanu (*AMIMechE, MIAEng.*) had his BEng. In Mechanical Engineering from Anambra state university, Nigeria. He is currently on his master degree program with same school. He specializes in Engineering Design. Some of his works included; Correlation of Automobile Bumper with the Geometry of the Bumper, Detection and Treatment of Human Cancer: Nanotechnology Application, a case study, He is a member of the Institution of Mechanical Engineers, London (IMechE), International association of Engineers (IAEng). He won the Engineering Global population competition, 2011 @ the House of Commons, London. He is the founder and leader of the Nuta_Bolts Team (*The first team in Nigeria to represent in the Formula student Competition*).