

Algal approach for Sustainable Development: A Critical Review

Iqbal Ansari and Kumar Nikhil

Abstract— Algae is a clearly promising solution for bridging the gap between supply and demand in the oil industry. Its production might be relatively environmentally sustainable. Fuels derived from algae have potential to revitalize the domestic economy by paying for billions of gallons of energy locally rather than exporting money to support other economies. Algae has researched for the feasibility for fuel sources. Algae can grow anywhere there is enough sunshine and some can grow in saline water. All algae contain proteins, carbohydrates, lipids and nucleic acids in varying proportion . This paper focuses on potentiality of algae to be a alternative source of energy and sustainable development for human.

Index term— Algae,biodiesel ,phenolic compounds ,fossil fuels , acid rain , transestrification .

I. INTRODUCTION

The wide spread use of fossil-fuels such as petroleum, coal, and natural gases resultant several environmental consequences that trigger the researchers for finding alternative green biofuel. In past few years ,many researched work has been performed on the conversion of algal biomass into biofuels [1a,1b,1c].Researchers pay attention towards marine algae due to its fast growth rate , great photosynthetic efficiency , superior biomass production and lack of arable land requirements for biofuels [2]. The term biodiesel commonly refers to eco friendly diesel made up of various feed stock by conversion of the triglyceride to ethyle ester by process of tras estrification [3], to produce oil closer to the petrol diesel at the rate of high viscosity [4].

Algae is of great interest to all biologist because of single algal cells which are complete organisms capable to synthesize multitude of compounds and photosynthesis which organise their cell structure [5]. Algae being autotrops provide a base line for aquatic food chains [6]. Different species of algae can be flourished in different habitats such as in fresh, marine, salty, brackish and in polluted waters [7].

Energy consumption in the G20 association of countries soared by more than 5 % in conversion trends on the a\one hand, developed countries which experience sharp decreasing energy demand in 2009 recovery firmly in 2020. Almost back to historical trends oil, gas, coal and electricity markets followed the same trend. India and china showed no sign of slowing down in 2009, continued in their instance demand of all forms of energy [8]. Algae has been harvesting by human

for medicinal and food purposes for over 2500 years and have been cultivating for approximately 300 years [9]. Algae have the potential to produce around 100 times more oil per hectare than terrestrial plans in a comparable growing area[10]. Algae contains many biotic compounds such as phenolic compounds, alkaloids, plants acid, terpenoides and glycosides and they are used as antioxidants, anti bacterial, antiviral and anti carcinogenic [11]. Algae can used in producing vitamins in biogas production, pharmaceutical drugs, by anaerobic digestion and methane production from residual form of micro algal [12a, 12b]. Algae can utilise in removing heavy metals from waste water [13], brown algae and red algae are harvested for synthesis of valuable products such as agar and algin acid used in laboratory as nutrient supplement [14].

II. ENERGY ,POWER REQUIREMENT OF INDIA AND WORLD

As a developing country our energy requirement is higher side. The energy requirement of our country is 4000Kwh/year per capita electricity consumption [15]. Out of this nuclear shares 2.77%,thermal 54.20%, hydroelectric 21.69%, renewable energy 10.94% and natural gases 10.94% in January 2011..In India the projected energy consumptions by year 2020 in sector of electricity will be 35% , oil 25%, coal 10%, gas 5% and biomass 15% [16]. The world energy consumption by 2013 in coal was 11000 mt, renewable energy 8600 mt, hydroelectric 8500mt , nuclear energy 7600mt , natural gases 7000mt , oil 4000mt [17].The world total energy consumption by year 2000 was 400 quadrillion billion tonne, in 2020 500qbt, and year 2020 projected 610 qbt [18].This implicates that there is a wide gap in energy requirement and available resources in our country which requires an immediate attention for finding out alternative energy resources which may be environmentally sustainable and cost effective .

Whereas the second world scenario is entirely different as mentioned above implicates that they have already started utilized alternate energy resources like soybean maize, another lignocellulosic materials for production of methanol and finally biodiesel. Since some of the dis advance and developed countries have zero waste management in the field of energy production and more emphasis were green for the energy production from bio available resource like algae, castor, maize, soybean and other bio waste.[19]. Indeed our country has also started thinking and in the midway of other utilised bio resource available for the production of direct and indirect energy and fuels in sustainable and cost effective

Manuscript received April 08, 2014.

Iqbal Ansari, Project Assistant, in EMG, CSIR-CIMFR, Dhanbad, Jharkhand, India,

Dr. Kumar Nikhil, Principal Scientist, EMG, CSIR CIMFR, Dhanbad, Jharkhand, india,

ways. Research and policy should give emphasis to achieve the projected goal.

III. HEALTH HAZARDS AND ENVIRONMENTAL IMPLICATION OF FOSSIL FUELS.

Burning of fossil fuels in the thermal power stations leads to pollution and emits harmful pollutants like CO₂, SO₂, which causes acid rains and global warming and badly effect flora, fauna and human. [20]. The main sources of particulate matter emission are result of burning fossil fuel combustion [21a,21b], thus the burning of an enormous amount of fossil fuels has increased the CO₂ level in atmosphere causing global warming [22a, 22b]. Due to air pollutants several toxicological and epidemiological studies reveals to have bad effect on human health. [23-a, b, c].

Children are at high risk from the toxic and carcinogenic effects of air pollution from burning of fossil fuels. Nitrogen oxides can have a toxic effect on the air ways leading to inflammation, asthmatic reactions and worsening of allergic and asthma symptoms. [24]. Air pollutants produced during burning of coal and other fossil fuels leads to great loss of fauna and flora habitat [25].

IV. BIOMASS FOR AN ALTERNATIVE ENERGY SOURCES

Biomass is one of the better source of energy [26], large scale introduction of biomass energy could contribute to sustainable development on several fronts, environmentally, socially and economically [27]. With the real potential for rising petroleum prices in the future and ever increasing concerns over energy independence, security and global warming, the nation of using micro algal feed stocks for biofuels production has steadily gained momentum over the last few years. Lipid derived from micro algae have been the predominant focus of this interest because these oil contain fatty acid and triglyceride compounds which their terrestrial seed oil, counter parts can be converted into alcohol esters (biodiesel) by using conventional transesterification process [28].

Thus the oils can be used to produce a renewable or "green diesel" produced by a process known as catalytic hydro processing and will zero waste [29]. The conversion of solar energy into renewable liquid transportation fuels from algal lipids has been shown to be technically feasible [30]. Recent studies have been shown that micro algal biomass is one of the most source of renewable biodiesel that is capable for meeting the global demand for transport fuels. Biodiesel production by algae will not compromise the production of food, fodder, and other products derived from crops [31].

The idea of using micro algae as a source of biofuel is not a new but it now being taken seriously because of the rising price of petroleum and more significantly the emerging concern about global warming that is linked with burning of fossil fuels [31]. Algal biodiesel has similar physical and chemical properties to petroleum diesel.

V. CONSTRAINTS

Growing biofuel industry is facing a large reasonable and viable for feed stock. Biofuel production from algae for its commercialization is still needed to minimize the level of uncertainty and insecurity due to techno economic constraints [32a, 32b]. Production cost also varies significantly with production scale and the system of production open or closed pond. Oil production from algae is expensive due to its high energy requirements and the capital cost [33]. Photo bioreactor designed at present time play a vital operation but lacks due to its limitation of gaseous exchange thus it cannot be fruitfully about 100 cm sq and open ponds suffer from contamination [34].

Algae grow at normal temperature for its biological activities above the optimum temperature biological activity decline and some time abruptly tends to zero [35]. Cultivation of algae also requires a proper and suitable pH value for its growth [36]. Another barriers in development of biodiesel from algae are the high cost and harvesting and processing of algal biomass.

VI. CONCLUSION

Algae can play important role in the bio economy. Algae are efficiently cultivated in places that are unsuitable for other purposes but also many other products such as proteins, colorants and raw materials for bioplastics is achievable. Biodiesel derived from oil crops is a potential renewable and carbon neutral alternative to petroleum fuels. However, the high cost and limited supply of renewable oils prevent it from becoming a top competitor for petroleum fuels. Optimising the cultivation harvesting and conversion of algal lipids into bio fuels and maximizing the added benefits, will hopefully make algal bio fuels, economically competitive for fossil fuels for the next decades.

VII. ACKNOWLEDGMENT

The author thanks to the Director, CSIR- CIMFR, Dhanbad to provide facility to complete the article, with permission to publish the article.

REFERENCES

- [1A] .Asadullah.M.Rahman,M.A.Ali.M.M.Rahman,M.S.Martin,M.A.,Sultan.M.B.and Alam,M.R..(2007). "Production of bio-oil from fixed bed pyrolysis of bagasse." Fuels 86 pp2514-2520. Energy sources 2013 ,vol 35 nov 9-12 pp 859-867.
- [1B] Berrios M. Martin,M.A.,Chica,A.F.,and Martin ,(2011). "Purification of biodiesel from used cooking oils." Appl Energy vol 88 ,pp 3625-3631.
- [1C] Feral, O.R., Fergal,B., and Anthony .R. (2009). "Renewable energy resources and technologies applicable to Ireland ."Renew. Sust.Energy Rev vol 13 pp 1975-1984.
- [2] Pan,P., Hu,C., Yang , W., Li,y., Dang .I., Zhu,L., Tong. D., Qing .R., and Fany .(2010). "The direct pyrolysis and catalytic pyrolysis of Nano chloropsis sp.residue for renewable bio-oils."pp 256-262.
- [3] NO ,S-Y.(2011). "In edible vegetable oils and their derivatives for alternative diesel fuels in C1 engines ."A review .renew. sustain.energy rev. vol 15 , pp 1791-1800.
- [4] Knothe , G.(2010). "bio-diesel and renewable diesel. A comparison prog." Energy combus.Sci vol 36, pp364-374.

- [5] Michael J. and Pelczar, JR .Microbiology ,5th Edition ,37th reprint 2008. Tata Mcgraw Hill Edition 1993.Tata Mcgraw Hill Publication Company Limited New delhi pp 365.
- [6] Sorguven.E,O. and Zilgen. M.(2010). "Thermodynamic assessment of algal bio-diesel utilization". *Renew.Energy* vol 35, pp 1956-1966.
- [7] Gamal,A. A.E.(2010). "Biological importance of marine algae ."Saudi pharmaceutical journal vol 18 , pp 1-25.
- [8] Enerdata –press release , 5th may ,2011.France.
- [9] Tseng, C.K. (1981). "Commercial cultivation and biology of sea weeds ."Oxford Blackwell Scientific Publication pp 680-725.
- [10] Singh ,A, Nigam and P.S ,Murphy.J .D.(2011). "Mechanism and Challenges in Commercialisation of algal bio-fuels ."Bioresources Tech .vol 102, pp26-34.
- [11] Demirel Z., F. Yilmaz-Koz, U. Karabay-Yavasoglu, G. Ozdemir, A. Sukatar, 2009. Antimicrobial and antioxidant activity of brown algae from the Aegean Sea. *J. Serb. Chem. Soc.* 74 (6) (pp. 619-628).
- [12A] Costa ,J.A.V.,de and Morais .M.G (2011). "The role of biochemical engineering in the production of befouls from microalgae ."Bio resource Technol . vol 102 pp2-9.
- [12B] Ehimen , E.A, Sun,Z.F.Carrinton ,C.G,Birch,and E.J.Eaton –Rye ,J.J.(2010). "anaerobic digestion of microalgae residues resulting from bio-diesel production process ."Appl.Energy .
- [13] Vilchez, C ,Garbayo,I. Labto and M.V., Vega,J.M (1997). "Microalgae mediated chemicals production and wastes removal ."Enzyme Microb.Tech. vol 20 , pp 62-572.
- [14] Strome ,M.Mihryan and A.E.K.R. (2002). "what to do with all these algae ? Mater.Lett.vol 57, pp 569-572.
- [15] HDI report(2007) and Leung (2005).
- [16] Data and states on India total Energy consumption by fuels .Energy Statistics .(2013),20th Issues.
- [17] www.scdigest.com. BP Statistical Review of world energy (2013).
- [18] www.eia.gov. International energy out look (2013).
- [19] Carmen Leonor and Barajas Forero. (2005). "Bio-diesel from castor oil :A promising fuel from cold weather ."Columbia Setter vol 107, pp10.
- [20] Uchegbu S .N.(1998). "Environmental Mangement and protection ."Spotlite Publishers, Nigeria.
- [21A] Artaxo,P. Fernandes ET .Martins JV, Yamasoe MA.Hobbs P, and Maenhaut W ,et al. (1998). "Large scale aerosol sources apportionment in Amazonia." *Journal of Geo-physical Research.* vol 103, pp 31837-31847.
- [21B] Castanho DA and Artaxo P.(2001). "Winter time and Summer time Sao Paulo aerosol source apportionment study ." *Atmos Environ .* vol 35, pp 4889-4902.
- [22A] Hall, D.O., H.E. Mynick and R.H Williams, 1991, "cooling the green house with bioenergy". *Nature* 353-11.
- [22B] Macedo, I.DC, 1999. Energy from biomass and waste. *Biomass bioenergy.* Vol-3, pp- 77-80.
- [23A] Atkinson RW, Andersion HR, Sunyer J. Ayres J. Baccinim VONK JM and et al 2001 "acute effects of particulate air pollution on respiratory admissions : results from APHEA project. Air pollution and health: a European approach. *An J Respir. Crit care med* vol 164, pp1860-1866.
- [23B] Popeca, burnett RT, Thun MJ, calle EE, Krewski D, and I tok, et. al 2002, lung cancer, cardio pulmonary mortality and long term exposure to fine particulate air pollution, *JAMA*vol 287, pp 1132-1141.
- [24] Hodgkin, JE ; Abbey, D E; Euler, G L and Magie. AR, 1998. "cord prevalence in non smokers in high and low photochemical air pollution area". *Chest* B6, B-14.
- [25] Nicolai, T. 1999. Environmental Air Pollution and Lung disease in children "Monaldi Archives of Chest Disease, vol 54, pp 475- 478.
- [26] Kulkarni, M.G. and A.K. Dalai. 2006. "waste cooking oil an economical source for biodiesel". *A Review. Eng. Chem. Res.* Vol 45, pp2901-2913.
- [27] Turkenburg , W.C, 2000. "Renewable energy technologies." IN. Goldmenberg. J(ed). World energy assesment preface. UNDP, NY, USA. Pp 219- 272
- [28] Fakuda . H, kondo A., and Noda. H 2001. Biodiesel fuel production by transesterification. of oils. *Journal of bioscience & bioengineering.* Vol-92(5), pp405-416.
- [29] L. Li, E. Coppola, J. Rine, J.L. Miller, and D. Walker, 2010 "Catalytic Hydrothermal Conversion of Triglycerides Non-ester Biofuels," *Energy & Fuels*, vol. 24, pp. 1305-1315.
- [30] Chisti, Y., 2007. "biodiesel from micro algae" *Biotech advances*, vol 25, pp 294- 306.
- [31] Brennan, L. and Owende, P. 2010. "Biofuel from microalgae- a review of technologies for production, processing and extraction of biofuels and co products." *Renewable and Sustainable Energy Review.* Vol 14(2), pp557-577.
- [32A] Melinda ,J.R.,G.Griffiths,Dicks, C .Richardson and S.T.L.Harrison;2011. "Advantages and Challenges of microalgae as source of oil for biodiesel ."Biodiesel –Feedstocks and processing Technology ,Dr Margarita stoy cheva(ed).ISBN:pp953-978.
- [32B] Dazin,A.I.,P.Pienkos and L.Edey,2010.Current status and potential for algal biofuel production ;A report to IEA bioenergy task. Pp39.
- [33] Barbara M.J,Hoogakker J and Wijffels RH 2003. "Optimisation of cultivation parameters in photobioreactors for microalgae cultivation using the A-stat technique biomolecular Engineering ."vol20(4-6), pp 115-123.
- [34] Melinda J.R.,2006. "Growth in fermenters ."Journal of Biotechnology . vol (126), pp 490-507.
- [35] Lowrey, J.B., 20011. "Seawater/waste water production of microalgae based biofuels in closed loop tubuluar photobioreactors." M.sc Thesis California polytechnic state University , san luis obispo.
- [36] Brock, T. D. (1973). Lower pH limit for the existence of blue-green algae: evolutionary and ecological implications *Science.* Vol- 179, pp- 480-483